

## SAN JOAQUIN COUNTY COMMUNITY DEVELOPMENT DEPARTMENT

1810 E. HAZELTON AVE., STOCKTON, CA 95205-6232 PHONE: 209/468-3121 FAX: 209/468-3163

# EXCERPTS FROM TABLE 2308.8(2) C.B.C. FLOOR JOIST SPANS FOR COMMON LUMBER SPECIES

(Residential Living Areas, Live Load = 40 psf,  $L/\Delta$  = 360)

			DEAD LO	AD - 10 psf			DEAD LC	OAD - 20 psf	
JOIST		2x6	2x8	2x10	2x12	2x6	2x8	2x10	2x12
SPACING					Maximum fl	oor joist spans	3		
(inches)	SPECIES AND GRADE	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)
	Douglas Fir-LarchSS	11-4	15-0	19-1	23-3	11-4	15-0	19-1	23-3
	Douglas Fir-Larch#1	10-11	14-5	18-5	22-0	10-11	14-2	17-4	20-1
	Douglas Fir-Larch#2	10-9	14-2	17-9	20-7	10-6	13-3	16-3	18-10
	Douglas Fir-Larch#3	8-8	11-0	13-5	15-7	7-11	10-0	12-3	14-3
12	Hem-Fir SS	10-9	14-2	18-0	21-11	10-9	14-2	18-0	21-11
	Hem-Fir #1	10-6	13-10	17-8	21-6	10-6	13-10	16-11	19-7
	Hem-Fir #2	10-0	13-2	16-10	20-4	10-0	13-1	16-0	18-6
	Hem-Fir #3	8-8	11-0	13-5	15-7	7-11	10-0	12-3	14-3
	Douglas Fir-LarchSS	10-4	13-7	17-4	21-1	10-4	13-7	17-4	21-0
	Douglas Fir-Larch#1	9-11	13-1	16-5	19-1	9-8	12-4	15-0	17-5
	Douglas Fir-Larch#2	9-9	12-7	15-5	17-10	9-1	11-6	14-1	16-3
	Douglas Fir-Larch#3	7-6	9-6	11-8	13-6	6-10	8-8	10-7	12-4
16	Hem-Fir SS	9-9	12-10	16-5	19-11	9-9	12-10	16-5	19-11
	Hem-Fir #1	9-6	12-7	16-0	18-7	9-6	12-0	14-8	17-0
	Hem-Fir #2	9-1	12-0	15-2	17-7	8-11	11-4	13-10	16-1
	Hem-Fir #3	7-6	9-6	11-8	13-6	6-10	8-8	10-7	12-4
	Douglas Fir-LarchSS	9-0	11-11	15-2	18-5	9-0	11-11	14-9	17-1
	Douglas Fir-Larch#1	8-8	11-0	13-5	15-7	7-11	10-0	12-3	14-3
	Douglas Fir-Larch#2	8-1	10-3	12-7	14-7	7-5	9-5	11-6	13-4
	Douglas Fir-Larch#3	6-2	7-9	9-6	11-0	5-7	7-1	8-8	10-1
24	Hem-Fir SS	8-6	11-3	14-4	17-5	8-6	11-3	14-4	16-10 <sup>a.</sup>
	Hem-Fir #1	8-4	10-9	13-1	15-2	7-9	9-9	11-11	13-10
	Hem-Fir #2	7-11	10-2	12-5	14-4	7-4	9-3	11-4	13-1
	Hem-Fir #3	6-2	7-9	9-6	11-0	5-7	7-1	8-8	10-1

a. End bearing length shall be increased to 2 inches.

# EXCERPTS FROM TABLE 2308.10.3(2) C.B.C. RAFTER SPANS FOR COMMON LUMBER SPECIES

(Roof Live Load = 20 pounds per square foot, Ceiling Not Attached to Rafters  $L/\Delta$  = 240)

		DE/	AD LOAD =	10 pounds	per square	foot	DE	AD LOAD =	20 pounds	per square	foot
JOIST		2x4	2x6	2x8	2x10	2x12	2x4	2x6	2x8	2x10	2x12
SPACING						Maximum r	after spans				
(inches)	SPECIES AND GRADE	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)	(ft in.)
	Douglas Fir-LarchSS	10-5	16-4	21-7	Note a	Note a	10-5	16-4	21-7	Note a	Note a
	Douglas Fir-Larch#1	10-0	15-9	20-10	Note a	Note a	10-0	15-4	19-5	23-9	Note a
	Douglas Fir-Larch#2	9-10	15-6	20-5	25-8	Note a	9-10	14-4	18-2	22-3	25-9
	Douglas Fir-Larch#3	8-7	12-6	15-10	19-5	22-6	7-5	10-10	13-9	16-9	19-6
12	Hem-Fir SS	9-10	15-6	20-5	Note a	Note a	9-10	15-6	20-5	Note a	Note a
	Hem-Fir #1	9-8	15-2	19-11	25-5	Note a	9-8	14-11	18-11	23-2	Note a
	Hem-Fir #2	9-2	14-5	19-0	24-3	Note a	9-2	14-2	17-11	21-11	25-5
	Hem-Fir #3	8-7	12-6	15-10	19-5	22-6	7-5	10-10	13-9	16-9	19-6
	Douglas Fir-LarchSS	9-6	14-11	19-7	25-0	Note a	9-6	14-11	19-7	24-9	Note a
	Douglas Fir-Larch#1	9-1	14-4	18-11	23-9	Note a	9-1	13-3	16-10	20-7	23-10
	Douglas Fir-Larch#2	8-11	14-1	18-2	22-3	25-9	8-6	12-5	15-9	19-3	22-4
	Douglas Fir-Larch#3	7-5	10-10	13-9	16-9	19-6	6-5	9-5	11-11	14-6	16-10
16	Hem-Fir SS	8-11	14-1	18-6	23-8	Note a	8-11	14-1	18-6	23-8	Note a
	Hem-Fir #1	8-9	13-9	18-1	23-1	Note a	8-9	12-11	16-5	20-0	23-3
	Hem-Fir #2	8-4	13-1	17-3	21-11	25-5	8-4	12-3	15-6	18-11	22-0
	Hem-Fir #3	7-5	10-10	13-9	16-9	19-6	6-5	9-5	11-11	14-6	16-10
	Douglas Fir-LarchSS	8-3	13-0	17-2	21-10	Note a	8-3	13-0	16-7	20-3	23-5
	Douglas Fir-Larch#1	8-0	12-6	15-10	19-5	22-6	7-5	10-10	13-9	16-9	19-6
	Douglas Fir-Larch#2	7-10	11-9	14-10	18-2	21-0	6-11	10-2	12-10	15-8	18-3
	Douglas Fir-Larch#3	6-1	8-10	11-3	13-8	15-11	5-3	7-8	9-9	11-10	13-9
24	Hem-Fir SS	7-10	12-3	16-2	20-8	25-1	7-10	12-3	16-2	19-10	23-0
	Hem-Fir #1	7-8	12-0	15-6	18-11	21-11	7-3	10-7	13-5	16-4	19-0
	Hem-Fir #2	7-3	11-5	14-8	17-10	20-9	6-10	10-0	12-8	15-6	17-11
	Hem-Fir #3	6-1	8-10	11-3	13-8	15-11	5-3	7-8	9-9	11-10	13-9

a. Span exceeds 26 ft in length. Check sources for availability of lumber in lengths greater than 20 ft.

# EXCERPTS FROM TABLE 2308.10.2(2) C.B.C. CEILING JOIST SPANS FOR COMMON LUMBER SPECIES (Uninhabitable Attics With Limited Storage, Live Load = 20 pounds per square foot, L/ $\Delta$ = 240)

			DEAD LOAD = 10 por	unds per square foot	
JOIST		2x4	2x6	2x8	2x10
SPACING			Maximum ceilir	ng joist spans	
(inches)	SPECIES AND GRADE	(ft in.)	(ft in.)	(ft in.)	(ft in.)
	Douglas Fir-LarchSS	10-5	16-4	21-7	Note a
	Douglas Fir-Larch#1	10-0	15-9	20-1	24-6
	Douglas Fir-Larch#2	9-10	14-10	18-9	22-11
	Douglas Fir-Larch#3	7-8	11-2	14-2	17-4
12	Hem-Fir SS	9-10	15-6	20-5	Note a
	Hem-Fir #1	9-8	15-2	19-7	23-11
	Hem-Fir #2	9-2	14-5	18-6	22-7
	Hem-Fir #3	7-8	11-2	14-2	17-4
	Douglas Fir-LarchSS	9-6	14-11	19-7	25-0
	Douglas Fir-Larch#1	9-1	13-9	17-5	21-3
	Douglas Fir-Larch#2	8-9	12-10	16-3	19-10
	Douglas Fir-Larch#3	6-8	9-8	12-4	15-0
16	Hem-Fir SS	8-11	14-1	18-6	23-8
	Hem-Fir #1	8-9	13-5	16-10	20-8
	Hem-Fir #2	8-4	12-8	16-0	19-7
	Hem-Fir #3	6-8	9-8	12-4	15-0
	Douglas Fir-LarchSS	8-3	13-0	17-1	20-11
	Douglas Fir-Larch#1	7-8	11-2	14-2	17-4
	Douglas Fir-Larch#2	7-2	10-6	13-3	16-3
	Douglas Fir-Larch#3	5-5	7-11	10-0	12-3
24	Hem-Fir SS	7-10	12-3	16-2	20-6
	Hem-Fir #1	7-6	10-11	13-10	16-11
	Hem-Fir #2	7-1	10-4	13-1	16-0
	Hem-Fir #3	5-5	7-11	10-0	12-3

a. Span exceeds 26 ft in length. Check sources for availability of lumber in lengths greater than 20 ft.

**TABLE 2308.9.6** HEADER AND GIRDER SPANS' FOR INTERIOR BEARING WALLS
(Maximum Spans for Douglas Fir-Larch, Hem-Fir, Southern Pine and Spruce-Pine-Fir<sup>b</sup> and Required Number of Jack Studs)

				BUILDING V	VIDTH <sup>c</sup> (feet)		
EADERS AND GIRDERS		2	0	2	8	3	6
SUPPORTING	SIZE	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>
American Control of Co	2-2 × 4	3-1	1	2-8	1	2-5	1
	2-2 × 6	4-6	1	3-11	1	3-6	1
	2-2 × 8	5-9	1	5-0	2	4-5	2
	2-2×10	7-0	2	6-1	2	5-5	2
	2-2 ×12	8-1	2	7-0	2	6-3	2
One Floor Only	3-2 × 8	7-2	1	6-3	1	5-7	2
	3-2 ×10	8-9	1	7-7	2	6-9	2
	3-2×12	10-2	2	8-10	2	7-10	2
	4-2 × 8	9-0	1	7-8	1	6-9	1
	4-2 ×10	10-1	1	8-9	1	7-10	2
	4-2 ×12	11-9	1	10-2	2	9-1	2
	2-2 × 4	2-2	1	1-10	1	1-7	1
	2-2 × 6	3-2	2	2-9	2	2-5	2
	2-2 × 8	4-1	2	3-6	2	3-2	2
	2-2 ×10	4-11	2	4-3	2	3-10	3
NAME OF THE PROPERTY OF THE PR	2-2 ×12	5-9	2	5-0	3	4-5	3
Two Floors	3-2 × 8	5-1	2	4-5	2	3-11	2
	3-2 ×10	6-2	2	5-4	2	4-10	2
	3-2 ×12	7-2	2	6-3	2	5-7	3
	4-2 × 8	6-1	1	5-3	2	4-8	2
	4-2 ×10	7-2	2	6-2	2	5-6	2
	4-2 ×12	8-4	2	7-2	2	6-5	2

For SI: 1 inch = 25.4 mm, 1 foot = 304.8 mm.

a. Spans are given in feet and inches (ft-in).

b. Tabulated values are for No. 2 grade lumber.

Building width is measured perpendicular to the ridge. For widths between those shown, spans are permitted to be interpolated.
 NJ - Number of jack studs required to support each end. Where the number of required jack studs equals one, the headers are permitted to be supported by an approved framing anchor attached to the full-height wall stud and to the header.

## TABLE 2304.7(2) SHEATHING LUMBER, MINIMUM GRADE REQUIREMENTS: BOARD GRADE

SOLID FLOOR OR ROOF SHEATHING	SPACED ROOF SHEATHING	GRADING RULES
Utility	Standard	NLGA, WCLIB, WWPA
4 common or utility	3 common or standard	NLGA, WCLIB, WWPA, NSLB or NELMA
No. 3	No. 2	SPIB
Merchantable	Construction common	RIS

TABLE 2304.7(3)
ALLOWABLE SPANS AND LOADS FOR WOOD STRUCTURAL PANEL SHEATHING AND SINGLE-FLOOR GRADES CONTINUOUS OVER
TWO OR MORE SPANS WITH STRENGTH AXIS PERPENDICULAR TO SUPPORTS\*\*

SHEATHIN	G GRADES		ROOF	c		FLOOR
Panel span rating	Panel thickness	Maximum	span (inches)	Load	l <sup>e</sup> (psf)	
roof/floor span	(inches)	With edge support <sup>f</sup>	Without edge support	Total load	Live load	Maximum span (inches)
12/0	<sup>5</sup> / <sub>16</sub>	12	12	40	30	0
16/0	<sup>5</sup> / <sub>16</sub> , <sup>3</sup> / <sub>8</sub>	16	16	40	30	0
20/0	<sup>5</sup> / <sub>16</sub> , <sup>3</sup> / <sub>8</sub>	20	20	40	30	0
24/0	<sup>3</sup> / <sub>8</sub> , <sup>7</sup> / <sub>16</sub> , <sup>1</sup> / <sub>2</sub>	- 24	20 <sup>g</sup>	40	30	0
24/16	<sup>7</sup> / <sub>16</sub> , <sup>1</sup> / <sub>2</sub>	24	24	50	40	16
32/16	15/32, 1/2, 5/8	32	28	40	30	16 <sup>h</sup>
40/20	19/32, 5/8, 3/4, 7/8	40	32	40	30	20h,i
48/24	23/32, 3/4, 7/8	48	36	45	35	24
54/32	<sup>7</sup> / <sub>8</sub> , 1	54	40	45	35	32
60/32	<sup>7</sup> / <sub>8</sub> , 1 <sup>1</sup> / <sub>8</sub>	60	48	45	35	32
SINGLE FLO	OR GRADES		ROOF	c		FLOORd
	Panel thickness	Maximum	span (inches)	Load	e (psf)	
Panel span rating	(inches)	With edge support <sup>f</sup>	Without edge support	Total load	Live load	Maximum span (inches)
16 o.c.	<sup>1</sup> / <sub>2</sub> , <sup>19</sup> / <sub>32</sub> , <sup>5</sup> / <sub>8</sub>	24	24	50	40	16 <sup>h</sup>
20 o.c.	19/32, 5/8, 3/4	32	32	40	30	20h,i
24 o.c.	<sup>23</sup> / <sub>32</sub> , <sup>3</sup> / <sub>4</sub>	48	36	35	25	24
32 o.c.	<sup>7</sup> / <sub>8</sub> , 1	48	40	50	40	32
48 o.c.	13/32, 11/8	60	48	50	40	48

For SI: 1 inch = 25.4 mm, 1 pound per square foot =  $0.0479 \text{ kN/m}^2$ .

- a. Applies to panels 24 inches or wider.
- b. Floor and roof sheathing conforming with this table shall be deemed to meet the design criteria of Section 2304.7.
- c. Uniform load deflection limitations  $\frac{1}{180}$  of span under live load plus dead load,  $\frac{1}{240}$  under live load only.
- d. Panel edges shall have approved tongue-and-groove joints or shall be supported with blocking unless \(^1/4\)-inch minimum thickness underlayment or 1 \(^1/2\) inches of approved cellular or lightweight concrete is placed over the subfloor, or finish floor is \(^3/4\)-inch wood strip. Allowable uniform load based on deflection of \(^1/360\) of span is 100 pounds per square foot except the span rating of 48 inches on center is based on a total load of 65 pounds per square foot.
- e. Allowable load at maximum span.
- f. Tongue-and-groove edges, panel edge clips (one midway between each support, except two equally spaced between supports 48 inches on center), lumber blocking or other. Only lumber blocking shall satisfy blocked diaphragm requirements.
- g. For <sup>1</sup>/<sub>2</sub>-inch panel, maximum span shall be 24 inches.
- h. Span is permitted to be 24 inches on center where <sup>3</sup>/<sub>4</sub>-inch wood strip flooring is installed at right angles to joist.
- i. Span is permitted to be 24 inches on center for floors where 11/2 inches of cellular or lightweight concrete is applied over the panels.

TABLE 2308.9.5

HEADER AND GIRDER SPANS® FOR EXTERIOR BEARING WALLS

(Maximum Spans for Douglas Fir-Larch, Hem-Fir, Southern Pine and Spruce-Pine-Fir<sup>b</sup> and Required Number of Jack Studs)

			(Maximum Spans for Douglas Fir-Larch, Hem-Fir, Southern Pine and Spruce-Pine-Fir <sup>o</sup> and Required Number of Jack Studs)  GROUND SNOW LOAD (psf)*											
			30 50											
i							Building	width <sup>c</sup> (feet)					TA	
HEADERS		20		2	28		36		20	28		36		
SUPPORTING	SIZE	Span	NJ⁴	Span	ŅJ <sup>α</sup>	Span	NJ <sup>d</sup>	Span	NJ⁴	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>	
	2-2 × 4	3-6	1	3-2	1	2-10	1	3-2	1	2-9	1	2-6	1	
	2-2 × 6	5-5	1	4-8	1	4-2	1	4-8	1	4-1	1	3-8	2	
	2-2 × 8	6-10	1	5-11	2	5-4	2	5-11	2	5-2	2	4-7	2	
	2-2 × 10	8-5	2	7-3	2	6-6	2	7-3	2	6-3	2	5-7	2	
	2-2 × 12	9-9	2	8-5	2	7-6	2	8-5	2	7-3	2	6-6	2	
Roof & Ceiling	3-2 × 8	8-4	1	7-5	1	6-8	1	7-5	1	6-5	2	5-9	2	
	3-2 × 10	10-6	1	9-1	2	8-2	2	9-1	2	7-10	2	7-0	2	
	3-2 × 12	12-2	2	10-7	2	9-5	2	10-7	2	9-2	2	8-2	2	
	4-2 × 8	9-2	1	8-4	1	7-8	1	8-4	1	7-5	1	6-8	1	
	4-2 × 10	11-8	1	10-6	1	9-5	2	10-6	1	9-1	2	8-2	2	
	4-2 × 12	14-1	1	12-2	2	10-11	2	12-2	2	10-7	2	9-5	2	
	2-2 × 4	3-1	1	2-9	1	2-5	1	2-9	1	2-5	1	2-2	1	
	2-2 × 6	4-6	1	4-0	1	3-7	2	4-1	1	3-7	2	3-3	2	
	2-2 × 8	5-9	2	5-0	2	4-6	2	5-2	2	4-6	2	4-1	2	
	2-2 × 10	7-0	2	6-2	2	5-6	2	6-4	2	5-6	2	5-0	2	
	2-2 × 12	8-1	2	7-1	2	6-5	2	7-4	2	6-5	2	5-9	3	
Roof, Ceiling & 1 Center-Bearing Floor	3-2 × 8	7-2	1	6-3	2	5-8	2	6-5	2	5-8	2	5-1	2	
contor Doming 11001	3-2 × 10	8-9	2	7-8	2	6-11	2	7-11	2	6-11	2	6-3	2	
	3-2 × 12	10-2	2	8-11	2	8-0	2	9-2	2	8-0	2	7-3	2	
	4-2 × 8	8-1	1	7-3	1	6-7	1	7-5	1	6-6	1	5-11	2	
	4-2 × 10	10-1	1	8-10	2	8-0	2	9-1	2	8-0	2	7-2	2	
	4-2 × 12	11-9	2	10-3	2	9-3	2	10-7	2	9-3	2	8-4	2	
	2-2 × 4	2-8	1	2-4	1	2-1	1	2-7	1	2-3	1	2-0	1	
	2-2 × 6	3-11	1	3-5	2	3-0	2	3-10	2	3-4	2	3-0	2	
	2-2 × 8	5-0	2	4-4	2	3-10	2	4-10	2	4-2	2	3-9	2	
	2-2 × 10	6-1	2	5-3	2	4-8	2	5-11	2	5-1	2	4-7	3	
	2-2 × 12	7-1	2	6-1	3	5-5	3	6-10	2_	5-11	3	5-4	3	
Roof, Ceiling & 1 Clear Span Floor	3-2 × 8	6-3	2	5-5	2	4-10	2	6-1	2	5-3	2	4-8	2	
	3-2 × 10	<b>7</b> -7	2	6-7	2	5-11	2	7-5	2	6-5	2	5-9	2	
	3-2 × 12	8-10	2	7-8	2	6-10	2	8-7	2	7-5	2	6-8	2	
	4-2 × 8	7-2	1	6-3	2	5-7	2	7-0	1	6-1	2	5-5	2	
	4-2 × 10	8-9	2	7-7	2	6-10	2	8-7	2	7-5	2	6-7	2	
	4-2 × 12	10-2	2	8-10	2	7-11	2	9-11	2	8-7	2	7-8	2	

(continued)

## TABLE 2308.9.5—continued HEADER AND GIRDER SPANS FOR EXTERIOR BEARING WALLS

(Maximum Spans for Douglas Fir-Larch, Hem-Fir, Southern Pine and Spruce-Pine-Fir<sup>b</sup> and Required Number of Jack Studs)

-			GROUND SNOW LOAD (psf) <sup>e</sup>											
				3	0			50						
						-	Building v	g width <sup>c</sup> (feet)						
		20		28		3	36		20		28		36	
HEADERS SUPPORTING	SIZE	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>	Span	NJ <sup>d</sup>	
	2-2 × 4	2-7	1	2-3	1	2-0	1	2-6	1	2-2	1	1-11	1	
	2-2 × 6	3-9	2	3-3	2	2-11	2	3-8	2	3-2	2	2-10	2	
	2-2 × 8	4-9	2	4-2	2	3-9	2	4-7	2	4-0	2	3-8	2	
	2-2 × 10	5-9	2	5-1	2	4-7	3	5-8	2	4-11	2	4-5	3	
Roof, Ceiling & 2	2-2 × 12	6-8	2	5-10	3	5-3	3	6-6	2	5-9	3	5-2	3	
Center-Bearing	3-2 × 8	5-11	2	5-2	2	4-8	2	5-9	2	5-1	2	4-7	2	
Floors	3-2 × 10	7-3	2	6-4	2	5-8	2	7-1	2	6-2	2	5-7	2	
	3-2 × 12	8-5	2	7-4	2	6-7	2	8-2	2	7-2	2	6-5	3	
	4-2 × 8	6-10	1	6-0	2	5-5	2	6-8	1	5-10	2	5-3	2	
	4-2 × 10	8-4	2	7-4	2	6-7	2	8-2	2	7-2	2	6-5	2	
	4-2 × 12	9-8	2	8-6	2	7-8	2	9-5	2	8-3	2	7-5	2	
	2-2 × 4	2-1	1	1-8	1	1-6	2	2-0	1	1-8	1	1-5	2	
	2-2 × 6	3-1	2	2-8	2	2-4	2	3-0	2	2-7	2	2-3	2	
	2-2 × 8	3-10	2	3-4	2	3-0	3	3-10	2	3-4	2	2-11	3	
	2-2 × 10	4-9	2	4-1	3	3-8	3	4-8	2	4-0	3	3-7	3	
	2-2 × 12	5-6	3	4-9	3	4-3	3	5-5	3	4-8	3	4-2	3	
Roof, Ceiling & 2	3-2 × 8	4-10	2	4-2	2	3-9	2	4-9	2	4-1	2	3-8	2	
Clear Span Floors	3-2 × 10	5-11	2	5-1	2	4-7	3	5-10	2	5-0	2	4-6	3	
	3-2 × 12	6-10	2	5-11	3	5-4	3	6-9	2	5-10	3	5-3	3	
	4-2 × 8	5-7	2	4-10	2	4-4	2	5-6	2	4-9	2	4-3	2	
	4-2 × 10	6-10	2	5-11	2	~ 5-3	2	6-9	2	5-10	2	5-2	2	
	4-2 × 12	7-11	2	6-10	2	6-2	3	7-9	2	6-9	2	6-0	3	

For SI: 1 inch = 25.4 mm, 1 foot = 304.8 mm, 1 pound per square foot = 47.8 N/m<sup>2</sup>.

- a. Spans are given in feet and inches (ft-in).
- b. Tabulated values are for No. 2 grade lumber.
- c. Building width is measured perpendicular to the ridge. For widths between those shown, spans are permitted to be interpolated.
- d. NJ Number of jack studs required to support each end. Where the number of required jack studs equals one, the header is permitted to be supported by an approved framing anchor attached to the full-height wall stud and to the header.
- e. Use 30 pounds per square foot ground snow load for cases in which ground snow load is less than 30 pounds per square foot and the roof live load is equal to or less than 20 pounds per square foot.

### TABLE 2304.9.1 FASTENING SCHEDULE

		FASTENING SCHEDULE	
	CONNECTION	FASTENING <sup>a,m</sup>	LOCATION
1.	Joist to sill or girder	3 - 8d common (2 <sup>1</sup> / <sub>2</sub> " × 0.131") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	toenail
2.	Bridging to joist	2 - 8d common (2 <sup>1</sup> / <sub>2</sub> " × 0.131") 2 - 3" × 0.131" nails 2 - 3" 14 gage staples	toenail each end
3.	$1'' \times 6''$ subfloor or less to each joist	2 - 8d common $(2^{1}/_{2}" \times 0.131")$	face nail
4.	Wider than $1'' \times 6''$ subfloor to each joist	3 - 8d common $(2^1/_2" \times 0.131")$	face nail
5.	2" subfloor to joist or girder	2 - 16d common $(3^{1}/_{2}" \times 0.162")$	blind and face nail
6.	Sole plate to joist or blocking	16d $(3^1/2'' \times 0.135'')$ at 16" o.c. $3^{\circ} \times 0.131''$ nails at 8" o.c. $3^{\circ}$ 14 gage staples at 12" o.c.	typical face nail
	Sole plate to joist or blocking at braced wall panel	3 <sup>6</sup> - 16d (3 <sup>1</sup> / <sub>2</sub> " × 0.135") at 16" 4 - 3" × 0.131" nails at 16" 4 - 3" 14 gage staples per 16"	braced wall panels
7.	Top plate to stud	2 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	end nail
8.	Stud to sole plate	4 - 8d common (2 <sup>1</sup> / <sub>2</sub> " × 0.131") 4 - 3" × 0.131" nails 3 - 3" 14 gage staples	toenail
		2 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	end nail
9.	Double studs	16d (3 <sup>1</sup> / <sub>2</sub> " × 0.135") at 24" o.c. 3" × 0.131" nail at 8" o.c. 3" 14 gage staple at 8" o.c.	face nail
10.	Double top plates	16d (3 <sup>1</sup> / <sub>2</sub> " × 0.135") at 16" o.c. 3" × 0.131" nail at 12" o.c. 3" 14 gage staple at 12" o.c.	typical face nail
	Double top plates	8-16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 12-3" × 0.131" nails 12-3" 14 gage staples	lap splice
11.	Blocking between joists or rafters to top plate	3 - 8d common (2 <sup>1</sup> / <sub>2</sub> " × 0.131") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	toenail
12.	Rim joist to top plate	8d $(2^1/2^n \times 0.131^n)$ at 6" o.c. $3^n \times 0.131^n$ nail at 6" o.c. $3^n \times 0.131^n$ nail at 6" o.c.	toenail
13.	Top plates, laps and intersections	2 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	face nail
14.	Continuous header, two pieces	16d common $(3^1/2'' \times 0.162'')$	16" o.c. along edge
15.	Ceiling joists to plate	3 - 8d common (2 <sup>1</sup> / <sub>2</sub> " × 0.131") 5 - 3" × 0.131" nails 5 - 3" 14 gage staples	toenail
16.	Continuous header to stud	4 - 8d common $(2^{1}/_{2}" \times 0.131")$	toenail

(continued)

#### TABLE 2304.9.1—continued FASTENING SCHEDULE

CONNECTION	FASTENING <sup>a,m</sup>	LOCATION
17. Ceiling joists, laps over partitions (see Section 2308.10.4.1, Table 2308.10.4.1)	3 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") minimum, Table 2308.10.4.1 4 - 3" × 0.131" nails 4 - 3" 14 gage staples	face nail
18. Ceiling joists to parallel rafters (see Section 2308.10.4.1, Table 2308.10.4.1)	3 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") minimum, Table 2308.10.4.1 4 - 3" × 0.131" nails 4 - 3" 14 gage staples	face nail
19. Rafter to plate (see Section 2308.10.1, Table 2308.10.1)	3 - 8d common $(2^{1}/_{2}" \times 0.131")$ 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	toenail
20. 1" diagonal brace to each stud and plate	2 - 8d common (2 <sup>1</sup> / <sub>2</sub> " × 0.131") 2 - 3" × 0.131" nails 3 - 3" 14 gage staples	face nail
21. 1" × 8" sheathing to each bearing	3 - 8d common $(2^{1}/_{2}" \times 0.131")$	face nail
22. Wider than 1" × 8" sheathing to each bearing	3 - 8d common (2 <sup>1</sup> / <sub>2</sub> " × 0.131")	face nail
23. Built-up corner studs	16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 3" × 0.131" nails 3" 14 gage staples	24" o.c. 16" o.c. 16" o.c.
24. Built-up girder and beams	20d common (4" × 0.192") 32" o.c. 3" × 0.131" nail at 24" o.c. 3" 14 gage staple at 24" o.c.	face nail at top and bottom staggered on opposite sides
	2 - 20d common (4" × 0.192") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	face nail at ends and at each splice
25. 2" planks	16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162")	at each bearing
26. Collar tie to rafter	3 - 10d common (3" × 0.148") 4 - 3" x 0.131" nails 4 - 3" 14 gage staples	face nail
27. Jack rafter to hip	3 - 10d common (3" x 0.148") 4 - 3" × 0.131" nails 4 - 3" 14 gage staples	toenail
	2 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	face nail
28. Roof rafter to 2-by ridge beam	2 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	toenail
	2-16d common $(3^{1}/_{2}" \times 0.162")$ 3 - 3" × 0.131" nails 3 - 3" 14 gage staples	face nail
29. Joist to band joist	3 - 16d common (3 <sup>1</sup> / <sub>2</sub> " × 0.162") 4 - 3" × 0.131" nails 4 - 3" 14 gage staples	face nail

(continued)

#### TABLE 2304.9.1—continued **FASTENING SCHEDULE**

	CONNECTION		FASTENING <sup>4,m</sup>	LOCATION
30.	Ledger strip	3 - 16d common ( 4 - 3" x 0.131" na 4 - 3" 14 gage sta	ils	face nail
31.	Wood structural panels and particleboard <sup>b</sup> Subfloor, roof and wall sheathing (to framing)	1/2" and less  19/32" to 3/4"  7/8" to 1" 1 1/8" to 1 1/4"	$6d^{c,1}$ $2^{3}/_{8}'' \times 0.113'' \text{ nail}^{n}$ $1^{3}/_{4}'' 16 \text{ gage}^{o}$ $8d^{d} \text{ or } 6d^{e}$ $2^{3}/_{8}'' \times 0.113'' \text{ nail}^{p}$ $2'' 16 \text{ gage}^{p}$ $8d^{c}$ $10d^{d} \text{ or } 8d^{d}$	
	Single Floor (combination subfloor-underlayment to framing)	3/ <sub>4</sub> " and less 7/ <sub>8</sub> " to 1" 1 1/ <sub>8</sub> " to 1 1/ <sub>4</sub> "	6d <sup>e</sup> 8d <sup>e</sup> 10d <sup>d</sup> or 8d <sup>e</sup>	
32.	Panel siding (to framing)	1/2" or less 5/8"	6d <sup>f</sup> 8d <sup>f</sup>	
33.	Fiberboard sheathing <sup>8</sup>	25/ <sub>32</sub> "	No. 11 gage roofing nail <sup>h</sup> 6d common nail (2" × 0.113") No. 16 gage staple <sup>i</sup> No. 11 gage roofing nail <sup>h</sup> 8d common nail (2 <sup>1</sup> / <sub>2</sub> " × 0.131") No. 16 gage staple <sup>i</sup>	
34.	Interior paneling	1/4" 3/8"	4d <sup>j</sup> 6d <sup>k</sup>	

For SI: 1 inch = 25.4 mm.

- a. Common or box nails are permitted to be used except where otherwise stated.
- b. Nails spaced at 6 inches on center at edges, 12 inches at intermediate supports except 6 inches at supports where spans are 48 inches or more. For nailing of wood structural panel and particleboard diaphragms and shear walls, refer to Section 2305. Nails for wall sheathing are permitted to be common, box or casing.
- c. Common or deformed shank (6d 2" × 0.113"; 8d  $2^{1}/_{2}$ " × 0.131"; 10d 3" × 0.148").
- d. Common (6d 2" × 0.113"; 8d  $2^{1}/_{2}$ " × 0.131"; 10d 3" × 0.148").
- e. Deformed shank (6d 2" × 0.113"; 8d  $2^{1}/_{2}$ " × 0.131"; 10d 3" × 0.148").
- f. Corrosion-resistant siding (6d  $1^7/8'' \times 0.106''$ ; 8d  $2^3/8'' \times 0.128''$ ) or casing (6d  $2'' \times 0.099''$ ; 8d  $2^1/2'' \times 0.113''$ ) nail.
- g. Fasteners spaced 3 inches on center at exterior edges and 6 inches on center at intermediate supports, when used as structural sheathing. Spacing shall be 6 inches
- on center on the edges and 12 inches on center at intermediate supports for nonstructural applications.

  h. Corrosion-resistant roofing nails with  ${}^{7}/_{16}$ -inch-diameter head and  ${}^{11}/_{2}$ -inch length for  ${}^{11}/_{2}$ -inch sheathing and  ${}^{11}/_{2}$ -inch length for  ${}^{11}/_{2}$ -inch sheathing and  ${}^{11}/_{2}$ -inch length for  ${}^{11}/_{2}$ -inch sheathing. Panel supports at 16 inches (20 inches if strength axis in the long direction of the panel, unless otherwise marked).
- j. Casing  $(1^1/2'' \times 0.080'')$  or finish  $(1^1/2'' \times 0.072'')$  nails spaced 6 inches on panel edges, 12 inches at intermediate supports.
- k. Panel supports at 24 inches. Casing or finish nails spaced 6 inches on panel edges, 12 inches at intermediate supports.
- 1. For roof sheathing applications, 8d nails  $(2^{1}/2^{n} \times 0.113^{n})$  are the minimum required for wood structural panels.
- m. Staples shall have a minimum crown width of <sup>7</sup>/<sub>16</sub> inch.
- n. For roof sheathing applications, fasteners spaced 4 inches on center at edges, 8 inches at intermediate supports.
- o. Fasteners spaced 4 inches on center at edges, 8 inches at intermediate supports for subfloor and wall sheathing and 3 inches on center at edges, 6 inches at intermediate diate supports for roof sheathing.
- p. Fasteners spaced 4 inches on center at edges, 8 inches at intermediate supports.