



P. O. BOX 1810 - 1810 E. HAZELTON AVENUE  
 STOCKTON, CALIFORNIA 95201  
 (209) 468-3000 FAX (209) 468-2999  
 www.sjgov.org/pubworks

## Modification or Addition to San Joaquin County Improvement Standards

Modification Number: **2020-1**  
 Effective Date of Change:

Description of Modification:

1. **Standard Drawing R-1:** Added 5' sidewalk dimension for Commercial/Industrial road section to match sidewalk dimensions on other road sections.
2. **Standard Drawing R-2:** Added 5' sidewalk dimension for Minor Arterial road section to match sidewalk dimensions on other road sections.
3. **Standard Drawing R-6:** Changed sidewalk width to 5'-0" to meet ADA standards. Overall roll curb, gutter and sidewalk dimension is changed to 8'-0" as a result. Changed sidewalk slope to 1.5% with an allowable range of 1%-2%.
4. **Standard Drawing R-7** Changed sidewalk slope to 1.5% with an allowable range of 1%-2%.
5. **Roadway Design Standards, section 2-4.06 H:** Revise the language to remove the first sentence. The revised version will be: Minimum sidewalk widths are shown on County Standard Drawings No. R-1, R-2, R-6, R-7, R-10A and R-10B

Modification reviewed by: \_\_\_\_\_

*Alex Chetley*

**REVIEWED**

By Alex Chetley at 4:14 pm, Jul 28, 2020

Alex Chetley, Interim Deputy Director – Development Services

Date

Modification approved by: \_\_\_\_\_

*Fritz Buchman*

**APPROVED**

By Fritz Buchman at 2:18 pm, Jul 30, 2020

Fritz Buchman, Interim Director

Date