



Community Development Department

Planning · Building · Code Enforcement · Fire Prevention · GIS

Jennifer Jolley, Director

Eric Merlo, Assistant Director

Tim Burns, Code Enforcement Chief

Corinne King, Deputy Director of Planning

Jeff Niemeyer, Deputy Director of Building Inspection

October 17, 2023

Marvin Vaccarezza
12995 E. Comstock Rd.
Stockton, CA 95215

Dear Owners:

Re: Minor Subdivision No. PA-2300031 of Marvin Vaccarezza (c/o Dillon & Murphy) (APN[s]/Address: 091-440-02 / 5073 N. Purviance St., Linden)

ACTION: On October 17, 2023, the San Joaquin County Community Development Department approved Minor Subdivision No. PA-2300031 subject to the enclosed Conditions of Approval.

APPEAL PERIOD: This action can be appealed to the Planning Commission by any interested party. Appeals must be filed with this Department within 10 days of the action with an appeal fee of \$774.85. The 10-day appeal period ends at 4:30 p.m. on October 27, 2023. If this date falls on a weekend or holiday, the appeal period will expire on the next regular business day at 4:30 p.m.

EXPIRATION: This action requires you to comply with all Conditions of Approval within the next 3 years (by October 26, 2026). If you have not complied with the Conditions of Approval by that date, this approval will expire, and the project cannot proceed.

NEXT STEP: Prior to the expiration date, you must comply with all Conditions of Approval and file a Parcel Map with the County Surveyor prior to the tentative map expiration date. It is recommended that you contact the responsible agencies for assistance in fulfilling the Conditions of Approval.

Please contact me if you have questions regarding the Community Development Department Conditions (Phone: [209] 468-8477 or via email at shjobrack@sjgov.org).

Sincerely,

Sol Jobrack
Associate Planner

SJ/aa

Enclosure(s): Conditions, Site Plan, Informational Letters, Findings

c: Dillon & Murphy
San Joaquin County Building Inspection Division
San Joaquin County Environmental Health
San Joaquin County GIS
San Joaquin County Public Works

CONDITIONS OF APPROVAL

PA-2300031

MARVIN VACCAREZZA / DILLON & MURPHY

Minor Subdivision Application No. PA- 2300031 was approved by the Community Development Department on October 17, 2023. The effective date of approval is October 27, 2023. This tentative map approval will expire on October 26, 2026, which is 36 months from the effective date of approval, unless (1) all Conditions of Approval have been complied with and (2) a Parcel Map has been filed with and accepted by the County Surveyor.

Unless otherwise specified, all Conditions of Approval and ordinance requirements shall be fulfilled prior to approval of the Parcel Map. Those Conditions followed by a Section Number have been identified as ordinance requirements pertinent to this application. Ordinance requirements cannot be modified, and other ordinance requirements may apply.

1. **COMMUNITY DEVELOPMENT DEPARTMENT** (Contact: Community Development Department, [209] 468-3121)
 - a. **TENTATIVE MAP:** The Parcel Map shall substantially conform to the approved tentative map dated March 2, 2023.
 - b. **RIGHT TO FARM:** Pursuant to San Joaquin County Code Section 6-9004(b), the following note shall be placed on the parcel map and recorded as a separate instrument.
 1. All persons purchasing parcels within the boundaries of this approved map should be prepared to accept the inconveniences or discomforts associated with agricultural operations or activities, such as noise, odors, insects, dust, or fumes. San Joaquin County has determined that such inconveniences or discomforts shall not be considered to be a nuisance.
 - c. **LOT SIZE AND WIDTH:** The following lot size and width regulations shall apply to this map:
 1. All parcels shall have a minimum lot width of 50 feet, measured at the front yard setback line. (Development Title Section 9-200.030-1)
 2. All parcels shall have a minimum lot area of 5,000 square feet. (Development Title Section 9-200.030-1)
 - d. **PROPERTY LINE SETBACKS:** The existing structure shall be setback a minimum of 20 feet from the east property line. (Development Title Section 9-200.030-1)
 - e. **ACCESS:** The following access requirements apply and shall be shown on the Parcel Map:
 1. A proposed 20-foot-wide private easement for access to Parcel 1, along Parcel 2, shall be shown on the Parcel Map. (Development Title Section 9-608.160)
 - f. **LANDSCAPING:** Landscaping shall be provided and comply with the following.
 1. 6 on-site trees must be installed on Parcel 2. (Development Title Section 9-402.050(a)(1))
2. **COUNTY COUNSEL**
 - a. **HOLD HARMLESS PROVISION:** Pursuant to Section 66474.9 of the Government Code, the subdivider shall defend, indemnify, and hold harmless the local agency or its agents, officers, and employees from any claim, action, or proceeding against the local agency or its agents, officers, or

employees to attack, set aside, void, or annul an approval of the local agency, advisory agency, appeal board, or legislative body concerning a subdivision, which action is brought within the time provided for in Section 66499.37 of the Government Code.

3. SAN JOAQUIN COUNCIL OF GOVERNMENTS (Contact [209] 235-0600 see memo dated March 17, 2023):
 - a. This project is subject to the San Joaquin County Multi-Species Habitat Conservation and Open Space Plan (SJMSCP). At the time of development, any structures that require ground disturbance on this or subsequent divided parcels will be subject to participate in the SJMSCP and should be resubmitted to the San Joaquin Council of Governments to ensure biological and mitigation obligations are satisfied. The following note shall be recorded as a Notice of Minor Subdivision Restriction:
 1. "Parcel(s) 1 and 2 are subject to the San Joaquin County Multi-Species Habitat Conservation and Open Space Plan (SJMSCP). At the time of development of Parcel(s) 1 or 2 any structure(s) that require ground disturbance on this or subsequent divided parcels will be subject to participate in the SJMSCP and development plans should be submitted to the San Joaquin Council of Governments to ensure biological and mitigation obligations are satisfied."
4. DEPARTMENT OF PUBLIC WORKS (Contact: [209] 468-3000, see memo dated May 9, 2023)
5. ENVIRONMENTAL HEALTH DEPARTMENT (Contact: [209] 468-3420, see memo dated March 30, 2023)
6. DEPARTMENT OF PARKS AND RECREATION (Contact: [209] 953-8800, see memo dated September, 14, 2023)


Notes and Information Only:

See Linden County Water District letter dated January 17, 2023.

See Pacific Gas & Electric letter dated March 17, 2023 and April 14, 2023.



SAN JOAQUIN
COUNTY
Greatness grows here.



Department of Public Works

Fritz Buchman, Director

Alex Chetley, Deputy Director – Development

Kristi Rhea, Deputy Director - Administration

David Tolliver, Deputy Director - Operations

Najee Zarif, Deputy Director - Engineering

May 9, 2023

M E M O R A N D U M

TO: Community Development Department
CONTACT PERSON: Sol Jobrack

FROM: Christopher Heylin, Development Services Engineer
Development Services Division

SUBJECT: PA-2300031; A Minor Subdivision application to subdivide an existing 0.28-acre parcel into two (2) parcels. Parcel 1 to contain 0.14 acre. Parcel 2 to contain 0.14 acre; located along a private road Purviance Street, 150 feet north of Front Street and approximately 230 feet west of Cady Street, Linden. (Supervisorial District 4) *CH*

OWNER: Marvin Vaccarezza Tr.

APPLICANT: Dillon & Murphy Engineering

ADDRESS: 5073 N. Purviance Street, Linden

APN: 091-440-02

INFORMATION:

The site is not currently located within a Federal Emergency Management Agency Designated Flood Hazard Area.

The Traffic Impact Mitigation Fee shall be required when parcels are developed. The fee is due and payable at the time of building permit application.

The Regional Transportation Impact Fee will be required when parcels are developed. The fee is due and payable at the time of building permit application.

The Water Supply Facilities Impact Mitigation Fee shall be required when parcels are developed. The fee is due and payable at the time of building permit application.

RECOMMENDATIONS:

- 1) A Parcel Map is required. (Development Title Section 9-915.2)
- 2) All easements of record shall be shown on the Parcel Map. (Development Title Section 9-910.20)

Informational Notes:

- (i.) At the time the parcels are developed, the developer shall provide drainage facilities in accordance with the San Joaquin County Development Standards.
- (ii.) Any construction activity that results in the disturbance of at least one (1) acre of soil shall require a State NPDES construction permit. Dischargers whose projects disturb 1 or more acres of soil or whose projects disturb less than 1 acre of soil and is not part of a larger common plan of development, are required to obtain coverage under the current General Permit for Discharges of Storm Water Associated with Construction Activity.
- (iii.) This property is subject to the requirements of San Joaquin County Mosquito & Vector Control District (209-982-4675) and the California Health and Safety Code for the prevention of mosquitoes. Best Management Practices (BMP) guidelines for stormwater devices, ponds and wetlands are available.

CH:DS



Environmental Health Department

Jasjit Kang, REHS, Director

Muniappa Naidu, REHS, Assistant Director

PROGRAM COORDINATORS

Jeff Carruesco, REHS, RDI

Willy Ng, REHS

Steven Shih, REHS

Michelle Henry, REHS

Elena Manzo, REHS

Natalia Subbotnikova. REHS

March 30, 2023

To: San Joaquin County Community Development Department
Attention: Sol Jobrack

From: Frank Girardi (209) 616-3044
Senior Registered Environmental Health Specialist

RE: **PA-2300031 (MS), Early Consultation, SU0015446**
5073 N. Purviance St., Linden

A handwritten signature in black ink, appearing to read "SJ" or "Sol Jobrack".

The following requirements have been identified as pertinent to this project. Other requirements may also apply. These requirements cannot be modified.

1. A qualified environmental professional shall prepare a surface and subsurface contamination report, identifying any potential source of surface or subsurface contamination caused by past or current land uses. The report shall include evaluation of non-point source of hazardous materials, including agricultural chemical residues, as well as potential point sources, such as fuel storage tanks, septic systems, or chemical storage areas. The report shall be submitted to the Environmental Health Department at time of submittal of a tentative map (San Joaquin County Development Title, Section 9-502.070). The fee will be based on the current schedule at the time of payment.

Note: Environmental Health Department (EHD) has received a surface subsurface contamination report service request (SR0086420) that has been approved.

2. Written Confirmation is required from the Public Works Department that improvements have been constructed or financial arrangements have been made for any improvements for public sewer required by the agency. In addition, written confirmation from the Public Works Department that the agency has or will have the sewer capacity to serve the development is also required (San Joaquin County Development Title, Section 9-600.020).
3. The applicant shall provide written confirmation from the water providers that improvements have been constructed or financial arrangements have been made for any improvements required by the agency and that the agency has or will have the capacity to serve the proposed development. Said written confirmation shall be submitted prior to the issuance of a building permit (San Joaquin County Development Title, Section 9-602.010).
4. Any existing wells or septic systems to be abandoned shall be destroyed under permit and inspection by the EHD (San Joaquin County Development Title, Section 9-605.010 & 9-601.020)
5. Any geotechnical drilling shall be conducted under permit and inspection by The Environmental Health Department (San Joaquin County Development Title, Section 9-601.010(b) and 9-601.020(i)).



General Services

Marcia Cunningham, Director
David Castagna, Assistant Director

Capital Projects · Facilities Management · Office of Emergency Services · Parks and Recreation

September 14, 2023

San Joaquin County
Community Development Department
Development Services Division
1810 East Hazelton Ave
Stockton, CA 95205

Re: Application # PA-2300031

Mr. Jobrack,

The San Joaquin County Department of Parks and Recreation will require the payment of fee in-lieu of land dedication as a condition of the above-mentioned Application Referral. Based on the information provided in the Application Referral and County Development Title Section 9-1230, et al, the fee is **\$422.99**

Fees are to be paid in person at the Parks and Recreation administrative offices located within Micke Grove Regional Park. Please refer to attached map for direction and additional instructions.

Sincerely,

A handwritten signature in cursive script that reads "Judy Vasbinder".

Judy Vasbinder
Parks Administrator, Parks and Recreation

c: A. Smolke, Parks and Recreation

Please bring a copy of this notice and show to the gate attendant as admittance to the park.

11793 Micke Grove Rd, Lodi CA 95240

From 99 North

Exit Armstrong Rd, Take a left back over the freeway onto Armstrong Rd

Turn left onto Micke Grove Rd

Turn right at park gate entrance.

From 99 South

Exit Armstrong Rd, Turn right onto Armstrong Rd

Turn left onto Micke Grove Rd

Turn right at park gate entrance.

Parking available at Administrative Offices.





S J C O G, Inc.

555 East Weber Avenue • Stockton, CA 95202 • (209) 235-0574 • Email: boyd@sjcog.org

San Joaquin County Multi-Species Habitat Conservation & Open Space Plan (SJMSCP)

**SJMSCP RESPONSE TO LOCAL JURISDICTION (RTLJ)
ADVISORY AGENCY NOTICE TO SJCOG, Inc.**

To: Sol Jobrack, San Joaquin County, Community Development Department

From: Laurel Boyd, SJCOG, Inc. Phone: (209) 235-0574 Email:

Date: March 17, 2023

-Local Jurisdiction Project Title: PA-2300031 (MS)

Assessor Parcel Number(s): 091-440-02

Local Jurisdiction Project Number: PA-2300031 (MS)

Total Acres to be converted from Open Space Use: Unknown

Habitat Types to be Disturbed: Multi-Purpose Opens Space Habitat Land

Species Impact Findings: Findings to be determined by SJMSCP biologist.

Digitized by srujanika@gmail.com

Dear Mr. Jobrack:

SJCOG, Inc. has reviewed the project referral for PA-2300031 (MS). This project consists of a Minor Subdivision application to subdivide an existing 0.28 acre parcel into 2 parcels. Parcel 1 to contain 0.14 acres. Parcel 2 to contain 0.14 acres. Parcels 1 and 2 are land locked parcels and will utilize a private road access easement from adjoining properties. Each parcel will utilize public water, public sewer and proposes to utilize a terminal drainage system. Applicant provided will serve letters from the Linden County Water District for water and sewer, and San Joaquin Public Works for storm drainage. The project site is along private road N. Purviance Street, 150 feet north of E. Front Street and 230 feet west of N. Cady Street, Linden (APN/Address: 091-440-02 /5073 N Purviance Street, Linden).

San Joaquin County is a signatory to San Joaquin County Multi-Species Habitat Conservation and Open Space Plan (SJMSCP). Participation in the SJMSCP satisfies requirements of both the state and federal endangered species acts, and ensures that the impacts are mitigated below a level of significance in compliance with the California Environmental Quality Act (CEQA). The LOCAL JURISDICTION retains responsibility for ensuring that the appropriate Incidental Take Minimization Measure are properly implemented and monitored and that appropriate fees are paid in compliance with the SJMSCP. Although participation in the SJMSCP is voluntary, Local Jurisdiction/Lead Agencies should be aware that if project applicants choose against participating in the SJMSCP, they will be required to provide alternative mitigation in an amount and kind equal to that provided in the SJMSCP.

At this time, the applicant is requesting a Minor Subdivision with no ground disturbance. Any future ground disturbing activities (e.g. roads, curb, gutter, electrical, water, etc.) or any physical structures that require ground disturbance on this or subsequent divided parcels will be subject to participate in the SJMSCP before ANY ground disturbance occurs and should be resubmitted to this agency. Current or future owners of this-or subdivided properties should be made aware of the conditions that are placed by the SJMSCP on future development on the created parcels.

This Project is subject to the SJMSCP. This can be up to a 30 day process and it is recommended that the project applicant contact SJMSCP staff as early as possible. It is also recommended that the project applicant obtain an information package. <http://www.sjcoa.org>

Please contact SJMSCP staff regarding completing the following steps to satisfy SJMSCP requirements:

- Schedule a SJMSCP Biologist to perform a pre-construction survey ***prior to any ground disturbance***
- SJMSCP Incidental take Minimization Measures and mitigation requirement:
 1. Incidental Take Minimization Measures (ITMMs) will be issued to the project and must be signed by the project applicant prior to any ground disturbance but no later than six (6) months from receipt of the ITMMs. If ITMMs are not signed within six months, the applicant must reapply for SJMSCP Coverage. Upon receipt of signed ITMMs from project applicant, SJCOG, Inc. staff will sign the ITMMs. This is the effective date of the ITMMs.

2. Under no circumstance shall ground disturbance occur without compliance and satisfaction of the ITMMs.
3. Upon issuance of fully executed ITMMs and prior to any ground disturbance, the project applicant must:
 - a. Post a bond for payment of the applicable SJMSCP fee covering the entirety of the project acreage being covered (the bond should be valid for no longer than a 6 month period); or
 - b. Pay the appropriate SJMSCP fee for the entirety of the project acreage being covered; or
 - c. Dedicate land in-lieu of fees, either as conservation easements or fee title; or
 - d. Purchase approved mitigation bank credits.
4. Within 6 months from the effective date of the ITMMs or issuance of a building permit, whichever occurs first, the project applicant must:
 - a. Pay the appropriate SJMSCP for the entirety of the project acreage being covered; or
 - b. Dedicate land in-lieu of fees, either as conservation easements or fee title; or
 - c. Purchase approved mitigation bank credits.

Failure to satisfy the obligations of the mitigation fee shall subject the bond to be called.

- **Receive your Certificate of Payment and release the required permit**

It should be noted that if this project has any potential impacts to waters of the United States [pursuant to Section 404 Clean Water Act], it would require the project to seek voluntary coverage through the unmapped process under the SJMSCP which could take up to 90 days. It may be prudent to obtain a preliminary wetlands map from a qualified consultant. If waters of the United States are confirmed on the project site, the Corps and the Regional Water Quality Control Board (RWQCB) would have regulatory authority over those mapped areas [pursuant to Section 404 and 401 of the Clean Water Act respectively] and permits would be required from each of these resource agencies prior to grading the project site.

If you have any questions, please call (209) 235-0574.



S J C O G , Inc.

San Joaquin County Multi-Species Habitat Conservation & Open Space Plan

555 East Weber Avenue • Stockton, CA 95202 • (209) 235-0600 • FAX (209) 235-0438

SJMSCP HOLD

TO: Local Jurisdiction: Community Development Department, Planning Department, Building Department, Engineering Department, Survey Department, Transportation Department, Other:

FROM: Laurel Boyd, SJCOG, Inc.

DO NOT AUTHORIZE SITE DISTURBANCE DO NOT ISSUE A BUILDING PERMIT DO NOT ISSUE _____ FOR THIS PROJECT

The landowner/developer for this site has requested coverage pursuant to the San Joaquin County Multi-Species Habitat Conservation and Open Space Plan (SJMSCP). In accordance with that agreement, the Applicant has agreed to:

1) **SJMSCP Incidental Take Minimization Measures and mitigation requirement:**

1. Incidental Take Minimization Measures (ITMMs) will be issued to the project and must be signed by the project applicant prior to any ground disturbance but no later than six (6) months from receipt of the ITMMs. If ITMMs are not signed within six months, the applicant must reapply for SJMSCP Coverage. Upon receipt of signed ITMMs from project applicant, SJCOG, Inc. staff will sign the ITMMs. This is the effective date of the ITMMs.
2. Under no circumstance shall ground disturbance occur without compliance and satisfaction of the ITMMs.
3. Upon issuance of fully executed ITMMs and prior to any ground disturbance, the project applicant must:
 - a. Post a bond for payment of the applicable SJMSCP fee covering the entirety of the project acreage being covered (the bond should be valid for no longer than a 6 month period); or
 - b. Pay the appropriate SJMSCP fee for the entirety of the project acreage being covered; or
 - c. Dedicate land in-lieu of fees, either as conservation easements or fee title; or
 - d. Purchase approved mitigation bank credits.
4. Within 6 months from the effective date of the ITMMs or issuance of a building permit, whichever occurs first, the project applicant must:
 - a. Pay the appropriate SJMSCP for the entirety of the project acreage being covered; or
 - b. Dedicate land in-lieu of fees, either as conservation easements or fee title; or
 - c. Purchase approved mitigation bank credits.

Failure to satisfy the obligations of the mitigation fee shall subject the bond to be called.

Project Title: PA-2300031 (MS)

Landowner: Marvin Vaccarezza Tr.

Applicant: Dillon & Murphy Engineering

Assessor Parcel #: 091-440-02


T _____, R _____, Section(s): _____


Local Jurisdiction Contact: Sol Jobrack

The LOCAL JURISDICTION retains responsibility for ensuring that the appropriate Incidental Take Minimization Measures are properly implemented and monitored and that appropriate fees are paid in compliance with the SJMSCP.

SITE PLAN

Application # PA2300031
Received By SHS On 3/2/2023





January 17, 2023

San Joaquin County Community Development Department
Development Services Division
1810 East Hazelton
Stockton, CA 95205

Directors

Lawrence Knapp, President

Steven M. Lagorio, Vice President

Myron Blanton

Elaine Reed

Douglas E. Smith

General Manager

John Villierme

Subject: APN # 091-440-02, 5073 Purviance Street, Linden

Dear Sir,

At their August 21, 2014 meeting, the Linden County Water District Board of Directors determined additional water and sewer service could be extended to a second dwelling on that certain parcel of property currently annexed into the District, more specifically described as Assessor's Parcel No. 091-440-02, subject to capacity and conveyance, to be determined by the District Engineer.

Per Linden County Water District's ordinances, the property owner must first submit to the District Engineer for approval construction plans and specifications for the installation of the additional water and sewer services. The District maintains the existing utilities on Purviance Street but is not responsible to upgrade the size of those lines to accommodate additional services.

Should you need further information regarding this subject, please do not hesitate to contact our office during regular business hours Monday through Friday from 9:00 a.m. to 3:30 p.m.

Sincerely,

John Villierme
General Manager

18243 E. Hwy 26
P.O. Box 595
Linden, CA 95236

Phone (209) 887-3216

www.lindencwd.com

March 17, 2023

Sol Jobrack
County of San Joaquin
1810 E Hazelton Ave
Stockton, CA 95205

Ref: Gas and Electric Transmission and Distribution

Dear Sol Jobrack,

Thank you for submitting the PA-2300031 plans for our review. PG&E will review the submitted plans in relationship to any existing Gas and Electric facilities within the project area. If the proposed project is adjacent/or within PG&E owned property and/or easements, we will be working with you to ensure compatible uses and activities near our facilities.

Attached you will find information and requirements as it relates to Gas facilities (Attachment 1) and Electric facilities (Attachment 2). Please review these in detail, as it is critical to ensure your safety and to protect PG&E's facilities and its existing rights.

Below is additional information for your review:

1. This plan review process does not replace the application process for PG&E gas or electric service your project may require. For these requests, please continue to work with PG&E Service Planning: https://www.pge.com/en_US/business/services/building-and-renovation/overview/overview.page.
2. If the project being submitted is part of a larger project, please include the entire scope of your project, and not just a portion of it. PG&E's facilities are to be incorporated within any CEQA document. PG&E needs to verify that the CEQA document will identify any required future PG&E services.
3. An engineering deposit may be required to review plans for a project depending on the size, scope, and location of the project and as it relates to any rearrangement or new installation of PG&E facilities.

Any proposed uses within the PG&E fee strip and/or easement, may include a California Public Utility Commission (CPUC) Section 851 filing. This requires the CPUC to render approval for a conveyance of rights for specific uses on PG&E's fee strip or easement. PG&E will advise if the necessity to incorporate a CPUC Section 851 filing is required.

This letter does not constitute PG&E's consent to use any portion of its easement for any purpose not previously conveyed. PG&E will provide a project specific response as required.

Sincerely,

Plan Review Team
Land Management



Attachment 1 – Gas Facilities

There could be gas transmission pipelines in this area which would be considered critical facilities for PG&E and a high priority subsurface installation under California law. Care must be taken to ensure safety and accessibility. So, please ensure that if PG&E approves work near gas transmission pipelines it is done in adherence with the below stipulations. Additionally, the following link provides additional information regarding legal requirements under California excavation laws: <https://www.usanorth811.org/images/pdfs/CA-LAW-2018.pdf>

1. Standby Inspection: A PG&E Gas Transmission Standby Inspector must be present during any demolition or construction activity that comes within 10 feet of the gas pipeline. This includes all grading, trenching, substructure depth verifications (potholes), asphalt or concrete demolition/removal, removal of trees, signs, light poles, etc. This inspection can be coordinated through the Underground Service Alert (USA) service at 811. A minimum notice of 48 hours is required. Ensure the USA markings and notifications are maintained throughout the duration of your work.
2. Access: At any time, PG&E may need to access, excavate, and perform work on the gas pipeline. Any construction equipment, materials, or spoils may need to be removed upon notice. Any temporary construction fencing installed within PG&E's easement would also need to be capable of being removed at any time upon notice. Any plans to cut temporary slopes exceeding a 1:4 grade within 10 feet of a gas transmission pipeline need to be approved by PG&E Pipeline Services in writing PRIOR to performing the work.
3. Wheel Loads: To prevent damage to the buried gas pipeline, there are weight limits that must be enforced whenever any equipment gets within 10 feet of traversing the pipe.

Ensure a list of the axle weights of all equipment being used is available for PG&E's Standby Inspector. To confirm the depth of cover, the pipeline may need to be potholed by hand in a few areas.

Due to the complex variability of tracked equipment, vibratory compaction equipment, and cranes, PG&E must evaluate those items on a case-by-case basis prior to use over the gas pipeline (provide a list of any proposed equipment of this type noting model numbers and specific attachments).

No equipment may be set up over the gas pipeline while operating. Ensure crane outriggers are at least 10 feet from the centerline of the gas pipeline. Transport trucks must not be parked over the gas pipeline while being loaded or unloaded.

4. Grading: PG&E requires a minimum of 36 inches of cover over gas pipelines (or existing grade if less) and a maximum of 7 feet of cover at all locations. The graded surface cannot exceed a cross slope of 1:4.
5. Excavating: Any digging within 2 feet of a gas pipeline must be dug by hand. Note that while the minimum clearance is only 24 inches, any excavation work within 24 inches of the edge of a pipeline must be done with hand tools. So to avoid having to dig a trench entirely with hand tools, the edge of the trench must be over 24 inches away. (Doing the math for a 24 inch



wide trench being dug along a 36 inch pipeline, the centerline of the trench would need to be at least 54 inches [24/2 + 24 + 36/2 = 54] away, or be entirely dug by hand.)

Water jetting to assist vacuum excavating must be limited to 1000 psig and directed at a 40° angle to the pipe. All pile driving must be kept a minimum of 3 feet away.

Any plans to expose and support a PG&E gas transmission pipeline across an open excavation need to be approved by PG&E Pipeline Services in writing PRIOR to performing the work.

6. **Boring/Trenchless Installations:** PG&E Pipeline Services must review and approve all plans to bore across or parallel to (within 10 feet) a gas transmission pipeline. There are stringent criteria to pothole the gas transmission facility at regular intervals for all parallel bore installations.

For bore paths that cross gas transmission pipelines perpendicularly, the pipeline must be potholed a minimum of 2 feet in the horizontal direction of the bore path and a minimum of 24 inches in the vertical direction from the bottom of the pipe with minimum clearances measured from the edge of the pipe in both directions. Standby personnel must watch the locator trace (and every ream pass) the path of the bore as it approaches the pipeline and visually monitor the pothole (with the exposed transmission pipe) as the bore traverses the pipeline to ensure adequate clearance with the pipeline. The pothole width must account for the inaccuracy of the locating equipment.

7. **Substructures:** All utility crossings of a gas pipeline should be made as close to perpendicular as feasible (90° +/- 15°). All utility lines crossing the gas pipeline must have a minimum of 24 inches of separation from the gas pipeline. Parallel utilities, pole bases, water line 'kicker blocks', storm drain inlets, water meters, valves, back pressure devices or other utility substructures are not allowed in the PG&E gas pipeline easement.

If previously retired PG&E facilities are in conflict with proposed substructures, PG&E must verify they are safe prior to removal. This includes verification testing of the contents of the facilities, as well as environmental testing of the coating and internal surfaces. Timelines for PG&E completion of this verification will vary depending on the type and location of facilities in conflict.

8. **Structures:** No structures are to be built within the PG&E gas pipeline easement. This includes buildings, retaining walls, fences, decks, patios, carports, septic tanks, storage sheds, tanks, loading ramps, or any structure that could limit PG&E's ability to access its facilities.

9. **Fencing:** Permanent fencing is not allowed within PG&E easements except for perpendicular crossings which must include a 16 foot wide gate for vehicular access. Gates will be secured with PG&E corporation locks.

10. **Landscaping:** Landscaping must be designed to allow PG&E to access the pipeline for maintenance and not interfere with pipeline coatings or other cathodic protection systems. No trees, shrubs, brush, vines, and other vegetation may be planted within the easement area. Only those plants, ground covers, grasses, flowers, and low-growing plants that grow unsupported to a maximum of four feet (4') in height at maturity may be planted within the easement area.



11. Cathodic Protection: PG&E pipelines are protected from corrosion with an "Impressed Current" cathodic protection system. Any proposed facilities, such as metal conduit, pipes, service lines, ground rods, anodes, wires, etc. that might affect the pipeline cathodic protection system must be reviewed and approved by PG&E Corrosion Engineering.

12. Pipeline Marker Signs: PG&E needs to maintain pipeline marker signs for gas transmission pipelines in order to ensure public awareness of the presence of the pipelines. With prior written approval from PG&E Pipeline Services, an existing PG&E pipeline marker sign that is in direct conflict with proposed developments may be temporarily relocated to accommodate construction work. The pipeline marker must be moved back once construction is complete.

13. PG&E is also the provider of distribution facilities throughout many of the areas within the state of California. Therefore, any plans that impact PG&E's facilities must be reviewed and approved by PG&E to ensure that no impact occurs which may endanger the safe operation of its facilities.



Attachment 2 – Electric Facilities

It is PG&E's policy to permit certain uses on a case by case basis within its electric transmission fee strip(s) and/or easement(s) provided such uses and manner in which they are exercised, will not interfere with PG&E's rights or endanger its facilities. Some examples/restrictions are as follows:

1. **Buildings and Other Structures:** No buildings or other structures including the foot print and eave of any buildings, swimming pools, wells or similar structures will be permitted within fee strip(s) and/or easement(s) areas. PG&E's transmission easement shall be designated on subdivision/parcel maps as "**RESTRICTED USE AREA – NO BUILDING.**"
2. **Grading:** Cuts, trenches or excavations may not be made within 25 feet of our towers. Developers must submit grading plans and site development plans (including geotechnical reports if applicable), signed and dated, for PG&E's review. PG&E engineers must review grade changes in the vicinity of our towers. No fills will be allowed which would impair ground-to-conductor clearances. Towers shall not be left on mounds without adequate road access to base of tower or structure.
3. **Fences:** Walls, fences, and other structures must be installed at locations that do not affect the safe operation of PG&E's facilities. Heavy equipment access to our facilities must be maintained at all times. Metal fences are to be grounded to PG&E specifications. No wall, fence or other like structure is to be installed within 10 feet of tower footings and unrestricted access must be maintained from a tower structure to the nearest street. Walls, fences and other structures proposed along or within the fee strip(s) and/or easement(s) will require PG&E review; submit plans to PG&E Centralized Review Team for review and comment.
4. **Landscaping:** Vegetation may be allowed; subject to review of plans. On overhead electric transmission fee strip(s) and/or easement(s), trees and shrubs are limited to those varieties that do not exceed 10 feet in height at maturity. PG&E must have access to its facilities at all times, including access by heavy equipment. No planting is to occur within the footprint of the tower legs. Greenbelts are encouraged.
5. **Reservoirs, Sumps, Drainage Basins, and Ponds:** Prohibited within PG&E's fee strip(s) and/or easement(s) for electric transmission lines.
6. **Automobile Parking:** Short term parking of movable passenger vehicles and light trucks (pickups, vans, etc.) is allowed. The lighting within these parking areas will need to be reviewed by PG&E; approval will be on a case by case basis. Heavy equipment access to PG&E facilities is to be maintained at all times. Parking is to clear PG&E structures by at least 10 feet. Protection of PG&E facilities from vehicular traffic is to be provided at developer's expense AND to PG&E specifications. Blocked-up vehicles are not allowed. Carports, canopies, or awnings are not allowed.
7. **Storage of Flammable, Explosive or Corrosive Materials:** There shall be no storage of fuel or combustibles and no fueling of vehicles within PG&E's easement. No trash bins or incinerators are allowed.



8. Streets and Roads: Access to facilities must be maintained at all times. Street lights may be allowed in the fee strip(s) and/or easement(s) but in all cases must be reviewed by PG&E for proper clearance. Roads and utilities should cross the transmission easement as nearly at right angles as possible. Road intersections will not be allowed within the transmission easement.

9. Pipelines: Pipelines may be allowed provided crossings are held to a minimum and to be as nearly perpendicular as possible. Pipelines within 25 feet of PG&E structures require review by PG&E. Sprinklers systems may be allowed; subject to review. Leach fields and septic tanks are not allowed. Construction plans must be submitted to PG&E for review and approval prior to the commencement of any construction.

10. Signs: Signs are not allowed except in rare cases subject to individual review by PG&E.

11. Recreation Areas: Playgrounds, parks, tennis courts, basketball courts, barbecue and light trucks (pickups, vans, etc.) may be allowed; subject to review of plans. Heavy equipment access to PG&E facilities is to be maintained at all times. Parking is to clear PG&E structures by at least 10 feet. Protection of PG&E facilities from vehicular traffic is to be provided at developer's expense AND to PG&E specifications.

12. Construction Activity: Since construction activity will take place near PG&E's overhead electric lines, please be advised it is the contractor's responsibility to be aware of, and observe the minimum clearances for both workers and equipment operating near high voltage electric lines set out in the High-Voltage Electrical Safety Orders of the California Division of Industrial Safety (<https://www.dir.ca.gov/Title8/sb5g2.html>), as well as any other safety regulations. Contractors shall comply with California Public Utilities Commission General Order 95 (http://www.cpuc.ca.gov/gos/GO95/go_95_startup_page.html) and all other safety rules. No construction may occur within 25 feet of PG&E's towers. All excavation activities may only commence after 811 protocols has been followed.

Contractor shall ensure the protection of PG&E's towers and poles from vehicular damage by (installing protective barriers) Plans for protection barriers must be approved by PG&E prior to construction.

13. PG&E is also the owner of distribution facilities throughout many of the areas within the state of California. Therefore, any plans that impact PG&E's facilities must be reviewed and approved by PG&E to ensure that no impact occurs that may endanger the safe and reliable operation of its facilities.

April 14, 2023

Sol Jobrack
County of San Joaquin
1810 E Hazelton Ave
Stockton, CA 95205

Re: PA-2300031
5073 N Purviance Street

Dear Sol Jobrack,

Thank you for providing PG&E the opportunity to review the proposed plans for PA-2300031 dated 3/16/2023. Our review indicates the proposed improvements do not appear to directly interfere with existing PG&E facilities or impact our easement rights.

Please note this is our preliminary review and PG&E reserves the right for additional future review as needed. This letter shall not in any way alter, modify, or terminate any provision of any existing easement rights. If there are subsequent modifications made to the design, we ask that you resubmit the plans to the email address listed below.

If the project requires PG&E gas or electrical service in the future, please continue to work with PG&E's Service Planning department: <https://www.pge.com/cco/>.

As a reminder, before any digging or excavation occurs, please contact Underground Service Alert (USA) by dialing 811 a minimum of 2 working days prior to commencing any work. This free and independent service will ensure that all existing underground utilities are identified and marked on-site.

If you have any questions regarding our response, please contact the PG&E Plan Review Team at pgeplanreview@pge.com.

Sincerely,

PG&E Plan Review Team
Land Management

FINDINGS FOR MINOR SUBDIVISION

PA-2300031
MARVIN VACCAREZZA / DILLON & MURPHY

1. The proposed subdivision, together with the provisions for its design and improvement, is consistent with the General Plan, any applicable Specific Plan, pre-existing Special Purpose Plan, or Master Plan, the Development Title, and other applicable provisions of the County Code.

Minor Subdivision No. PA-2300031 is consistent with the General Plan because the R/L (Low Density- Residential) zone of the subject parcel permits the division proposed and the R-L (Low Density- Residential) zone is an implementing zone for the parcel's R/L (Low Density- Residential) land use designation. Further, no Master Plan, Specific Plan, or Special Purpose Plan are applicable to Minor Subdivision No. PA-2300031.

2. The site is physically suitable for the type of development and the proposed density of the development.

The subdivision does not propose any development. The existing development can meet all minimum development standards contained in the Development Title. The resulting parcels are physically suitable to meet density requirements for any future development.

3. The proposed subdivision, together with the provisions for its design and improvement, are not likely to cause substantial environmental damage or substantially and avoidably injure fish or wildlife or their habitat, unless an Environmental Impact Report (EIR) was prepared and a finding was made that specific economic, social, or other considerations make the mitigation measures or project alternatives infeasible, pursuant to Section 21081(a)(3) of the Public Resources Code.

The subdivision does not propose any development or improvements; therefore, the subdivision is not likely to cause substantial environmental damage or substantially and avoidably injure fish or wildlife or their habitat. Any future ground disturbing activities (e.g., roads, curb, gutter, electrical, water, etc.) or any physical structures that require ground disturbance on this or subsequent divided parcels will be subject to participate in the San Joaquin Multi-Species Habitat Conservation and Open Space Plan before any ground disturbance occurs.

4. The proposed subdivision, together with the provisions for its design and improvement, is not likely to cause serious public health problems.

The subdivision does not propose any development or improvements; therefore, the design of the subdivision is not likely to cause significant public health problems.

5. The proposed subdivision, together with the provisions for its design and improvement, will not conflict with easements acquired by the public at large for access through or use of property within the proposed subdivision. The County may approve a map if it finds that alternate easements for access or for use will be provided and that these easements will be substantially equivalent to ones previously acquired by the public.

The design of the subdivision will not conflict with easements acquired by the public at large for access through or use of the property within the proposed subdivision because, if it is found that alternate easements for access or for use are necessary, these will be substantially equivalent to ones previously acquired by the public.

6. Water and wastewater disposal services will be available and sufficient to serve a proposed subdivision. If the subdivision has more than 500 dwelling units, this finding must be in accordance with Section 66473.7 of the Subdivision Map Act.

The subdivision does not propose any development. In the event the applicant proposes to develop the proposed sites, the applicant has provided will serve letters for public water and sewer.

7. Any land or improvement to be dedicated to the County or other public agency is consistent with the General Plan, any applicable Specific Plan, pre-existing Special Purpose Plan, or Master Plan, and any other applicable plan adopted by the County.

Any land or improvements to be dedicated to the County is consistent with the General Plan, any applicable Specific Plan and Special Purpose Plan, and other applicable plan adopted by the County because any such improvements or land must meet County standards and requirements for dedication and/or construction.

8. The design of the subdivision provides, to the extent feasible, for future passive or natural heating or cooling opportunities in the subdivision.

The subdivision does not propose any development, therefore, the subdivision does not involve Government Code Section 66473.1.